

Water-Steam Washdown Station

Application

- Fail-safe mixing station safely blends steam and cold water for hot water on demand. Should cold water fail, the steam is instantly shut-off

Features


- Globe style control valves
- Dial thermometer
- In-line check valves
- 3/4" inlet and outlet
- Mounting plate and hardware for wall mounting

Material

- Hose rack: stainless steel

Specifications

- Maximum operating pressure: **150 PSI**
- Maximum temperature: **200°F (93°C)**



Station is not supplied with hose and nozzle

**Bronze
Part #**

SWDS

Pressure Requirements

Steam Pressure		Water Pressure	
Minimum 80 PSI	Maximum 90 PSI	Minimum 50 PSI	Maximum 80 PSI

Hot and Cold Water Mixing Station

Features

- Globe style control valves
- In-line check valves
- 3/4" inlet and outlet
- Mounting plate and hardware for wall mounting

Material

- Hose rack: stainless steel

Specifications

- Maximum operating pressure: **150 PSI**
- Maximum temperature: **200°F (93°C)**



Station is not supplied with hose and nozzle

**Bronze
Part #**

WDS1

Rack for Mixing Station

Features

- Supplied with mounting hardware
- Rack fits SWDS and WDS1 mixing stations
- Holds 50' of 3/4" heavy duty industrial grade hose

Materials

- Lag screws: stainless steel
- Mounting crowns: solid brass



**Stainless Steel
Part #**

WDSR

H